



Ford® Mustang 5.0 Drag Slash (Model 94046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
9415	Body accessories, Chevrolet C10, black (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
9415X	Body accessories, Chevrolet C10, black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
9415R	Body accessories, Chevrolet C10, chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
9415A	Body accessories, Chevrolet C10, satin black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
9435	Body bumper, foam
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)
9417	Body mount posts, rear (2)
3619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
1815	Body washers (8)
6716	Body Washers, Foam, 2mm/3mm/4mm
9411	Body, Chevrolet C10 (clear, requires painting)/ window masks
9411A	Body, Chevrolet C10, black (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411X	Body, Chevrolet C10, blue (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411G	Body, Chevrolet C10, green (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411P	Body, Chevrolet C10, purple (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411R	Body, Chevrolet C10, red (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411T	Body, Chevrolet C10, white (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)
9421	Body, Ford Mustang, Fox Body (clear, requires painting)/ window masks/ decal sheet (includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)
9421A	Body, Ford Mustang, Fox Body, black (painted, decals applied) (includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)
9421X	Body, Ford Mustang, Fox Body, blue (painted, decals applied) (includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)
9421G	Body, Ford Mustang, Fox Body, green (painted, decals applied) (includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)
9421R	Body, Ford Mustang, Fox Body, red (painted, decals applied) (includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)
9413	Decal sheet, Chevrolet C10
2514	Decal sheet, racing sponsors
9499	Display stand, Drag Slash®
9422	Mirrors, side (left & right)/ o-rings (4)/ body clips (4) (fits #9421 body)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9414	Wing, Chevrolet C10/ support/ side plates (left & right)/ 3x10 BCS (4)
9416	Wing/ wing retainer/ 2.6x12mm BCS (4) (fits #9421 body)

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)

9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9419	Body bumper, foam
9435	Body bumper, foam
3619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
9420	Bumper, chassis, front (upper & lower)
5830	Chassis conversion kit, low CG (Slash®)
5832	Chassis, low CG (black)
5832A	Chassis, low CG (blue)
5832G	Chassis, low CG (grey)
9499	Display stand, Drag Slash®
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
5831	Lower chassis, low CG (black)
5831A	Lower chassis, low CG (blue)
5831G	Lower chassis, low CG (grey)
5823	Nerf bars, chassis (black)
5833	Nerf bars, low CG (black)
5833A	Nerf bars, low CG (blue)
5833G	Nerf bars, low CG (grey)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9418	Shock tower, rear
9462X	Side plates, wheelie bar, blue (aluminum) (2)
9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
9462G	Side plates, wheelie bar, green (aluminum) (2)
9462A	Side plates, wheelie bar, orange (aluminum) (2)
9462P	Side plates, wheelie bar, pink (aluminum) (2)
9462R	Side plates, wheelie bar, red (aluminum) (2)
9464	Wheelie bar mount (heavy duty)
9460	Wheelie bar, black (assembled)/ wheelie bar mount
9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
9461X	Wheels, wheelie bar, blue (2)
9461G	Wheels, wheelie bar, green (2)
9461A	Wheels, wheelie bar, orange (2)
9461P	Wheels, wheelie bar, pink (2)
9461R	Wheels, wheelie bar, red (2)

Differential Components

9480	Differential assembly (complete) (assembled with 500K oil) (fits Drag Slash®)
9480A	Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
9450R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9451	Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)

Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2432	Caster blocks (left & right) (30-degree)
2437	Front axles (2)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
2531X	Suspension arms (front) (2)
2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)
1633	E-clips/ C-rings
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967	Shoulder screws 3x10 (6) (without threadlock)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

9496X	LED light set, front, complete (blue) (includes light harness, power harness, clear lenses (2), zip ties (3))
9496G	LED light set, front, complete (green) (includes light harness, power harness, clear lenses (2), zip ties (3))
9496R	LED light set, front, complete (red) (includes light harness, power harness, clear lenses (2), zip ties (3))
9496	LED light set, front, complete (white) (includes light harness, power harness, zip ties (3))
9497X	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black chrome)/ zip ties (3)
9497	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black)/ zip ties (3)
9497R	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (chrome)/ zip ties (3)
9497A	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (satin black chrome)/ zip ties (3)

Motors & Electronics

1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3340	Cooling fan, Velineon® VXL-3s ESC
9491	Gear adapter set, fixed (48-pitch)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)

3354R	Motor cover, endbell (Velineon® 3500)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
9490	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
9490X	Plate, motor, 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490T	Plate, motor, 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490G	Plate, motor, 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490A	Plate, motor, 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490P	Plate, motor, 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490R	Plate, motor, 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification

6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6529A	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) (drag version)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Ready-To-Race Model

94046-4	Drag Slash with Ford® Mustang 5.0 Body: 1/10 Scale 2WD Drag Racing Car with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
9418	Shock tower, rear
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2750A	Suspension arms, black, rear (left & right), heavy duty (2)
9430	Suspension arms, black, rear (left & right), heavy duty, 0° toe angle (2)
9431	Suspension arms, black, rear (left & right), heavy duty, 1° toe angle (2)
9432	Suspension arms, black, rear (left & right), heavy duty, 2° toe angle (2)
2750X	Suspension arms, blue, rear (left & right), heavy duty (2)
2750G	Suspension arms, green, rear (left & right), heavy duty (2)
2750T	Suspension arms, orange, rear (left & right), heavy duty (2)
2750L	Suspension arms, red, rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)

- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (Pro-Level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock (long) (grey) (2)
- 5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458P Springs (front) (pink) (2)
- 2458A Springs (front) (white) (2)
- 2458 Springs, front (black) (2)
- 5857P Springs, front (pink) (progressive rate) (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2) (also used on Drag Slash rear shocks)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 5857 Springs, front (white) (progressive rate) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)

Slipper Clutch Components

- 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 9491 Gear adapter set, fixed (48-pitch)
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2422 Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2429 Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw

- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 2728 Ball bearings (5x8x2.5mm) (2)
- 6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3744 Servo saver w/ adapters
- 3967 Shoulder screws 3x10 (6) (without threadlock)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
- 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 1935 Turnbuckles, 36mm (2)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
- 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 2444X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444A Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444T Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444P Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443A Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443T Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443P Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3744 Servo saver w/ adapters
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

Page 5 Ford® Mustang 5.0 Drag Slash: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 94046-4) Parts List

2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

9470	Tires, front (Mickey Thompson® ET Front®) (2)/ foam inserts (2)
9471	Tires, rear (Mickey Thompson® ET Drag® Slicks) (2)
9471X	Tires, rear (Mickey Thompson® ET Drag® Slicks, smoke) (2)
9471R	Tires, rear (Mickey Thompson® ET Drag® Slicks, sticky compound) (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
9472X	Wheels, Weld black chrome (front) (2)
9473X	Wheels, Weld black chrome (rear) (2)
9472R	Wheels, Weld chrome (front) (2)
9473R	Wheels, Weld chrome with black (rear) (2)
9472	Wheels, Weld gloss black (front) (2)
9473	Wheels, Weld gloss black (rear) (2)
9472A	Wheels, Weld satin black chrome (front) (2)
9473A	Wheels, Weld satin black chrome (rear) (2)

Team Traxxas Items

6596	Battery door, drag start light
2514	Decal sheet, racing sponsors
6595	Drag racing start light
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
9469	Tire inserts, molded (2) (for #9475 rear tires)
9469R	Tire inserts, molded (2) (for #9475 rear tires) (+1 firmness)
9469X	Tire inserts, molded (2) (for #9475 rear tires) (+2 firmness)
9475X	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)
9477X	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Drag® Slicks, smoke, foam inserts) (rear) (2)
9476X	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Drag® Slicks, sticky compound, foam inserts) (rear) (2)
9474X	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Front® tires, foam inserts) (2)
9474R	Tires & wheels, assembled, glued (Weld chrome wheels, Mickey Thompson® ET Front® tires, foam inserts) (2)
9475R	Tires & wheels, assembled, glued (Weld black chrome with black wheels, Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)
9477R	Tires & wheels, assembled, glued (Weld chrome with black wheels, Mickey Thompson® ET Drag® Slicks, smoke, foam inserts) (rear) (2)
9476R	Tires & wheels, assembled, glued (Weld chrome with black wheels, Mickey Thompson® ET Drag® Slicks, sticky compound, foam inserts) (rear) (2)
9475	Tires & wheels, assembled, glued (Weld gloss black wheels, Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)
9474	Tires & wheels, assembled, glued (Weld gloss black wheels, Mickey Thompson® ET Front® tires, foam inserts) (2)
9477	Tires & wheels, assembled, glued (Weld glossy black wheels, Mickey Thompson® ET Drag® Slicks, smoke, foam inserts) (rear) (2)
9476	Tires & wheels, assembled, glued (Weld glossy black wheels, Mickey Thompson® ET Drag® Slicks, sticky compound, foam inserts) (rear) (2)
9475A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)
9474A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, Mickey Thompson® ET Front® tires, foam inserts) (2)

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9489	Cover, gear
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
9480	Differential assembly (complete) (assembled with 500K oil) (fits Drag Slash®)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
9493	Gearbox halves, left & right/ differential cover (charcoal gray)
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
9483	Output gears, differential (2)
9490	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
9490X	Plate, motor, 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490T	Plate, motor, 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490G	Plate, motor, 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490A	Plate, motor, 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490P	Plate, motor, 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490R	Plate, motor, 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1) 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Turnbuckles & Threaded Rods

- 2444X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444A Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444T Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444P Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2444R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443A Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443T Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443P Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2445X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445A Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445T Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445P Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)