



Toyota® GR Supra GT4® (Model 93064-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)

Body & Accessories

- 9347 Body mount, rear/ 3x10 FCS (2) (for clipless body mounting) (attaches to #9340 body)
- 9340 Body, Toyota Supra GT4 (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, spoiler, grilles, vents, hardware, & clipless mounting)**
- 9340X Body, Toyota Supra GT4, complete (white) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
- 9344 Exhaust tips (2)/ exhaust tip mounts (2)/ 2.6X8 BCS (2)
- 9341 Grille, Toyota Supra GT4 (center, left, right)/ splitter/ 2.6x8 BCS (6)
- 9348 Latch, body mount, front (for clipless body mounting) (attaches to #9340 body)
- 9343 Mirrors, side (left & right)/ mounts (left & right)/ hood vent/ mount/ 2.6x8mm BCS (4)
- 9342 Wing/ 2.6x8 BCS (4)

Brake Components

- 8367 Brake calipers (red), front (2)/ rear (2)
- 8356 Wheel hubs, hex (disk brake rotors) (4)

Center Driveline

- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)

Chassis & Attachments

- 9346 Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin (fits #9345 chassis)
- 8324 Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
- 9350 Bumper, front/ bumper mount/ bumper foam
- 9345 Chassis (for 272mm wheelbase)
- 8321 Chassis brace (front)
- 8323 Gear cover (rear chassis brace)

Differential Components

- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 5136X Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)**
- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)
- 8379 Housing, spool / spool shaft/ bushing**
- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

- 8353X Drive cups, inner (2) (steel constant-velocity driveshafts)**
- 8353 Drive cups, inner (2)/ screw pins (2)
- 9354 Driveshaft, center, steel (249mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
- 8350 Driveshaft, front (2)
- 8351 Driveshaft, rear (2)
- 8350X Driveshafts, steel constant-velocity (assembled), front (2)**
- 8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
- 8382 O-rings (12)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8356 Wheel hubs, hex (disk brake rotors) (4)

Front Suspension & Steering

- 8330 Bulkhead, front
- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**

- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8338 Shock towers, front & rear
- 8343 Steering bellcranks/ hardware
- 8337 Steering block (2)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8333 Suspension arms, front (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 8342 Toe links, steel (34mm) (2)**
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Hardware

- 4859 CS 3x10 flathead (hex drive)
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm caphead machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 8356 Wheel hubs, hex (disk brake rotors) (4)

Motors & Electronics

- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
- 2072A Gear set (for 2070, 2075 servos)
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 8390 Plate, motor
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof**
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof**
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))**
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)**
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery**
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery**
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery**
- 2914 Battery, Power Cell AA Alkaline (4)**
- 2976 AC to DC adapter**
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**

Page 2 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List

2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

93064-4	Toyota® GR Supra GT4®: 1/10 Scale AWD Race Car with TQ™ 2.4GHz Radio System
---------	---

Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)

8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8338	Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum)(assembled with TiN shafts) with springs (f/r)(2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
4262	Shock shaft, hard chrome (32mm) (rear) (2)
4261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
4261	Shock shafts chrome (29mm)(2)
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2362	Shock rebuild kit (for 2 shocks)
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Springs

8362X	Spring, shock (blue) (2)
8362G	Spring, shock (green) (2)
8362P	Spring, shock (pink) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)
8362	Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)

Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
8323	Gear cover (rear chassis brace)
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424	Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw

Page 3 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List

- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 8359 Spur gear, 62-tooth
- 8357 Spur gear, 70-tooth
- 8368 Spur gear, 72 tooth (48 pitch)

Steering Components

- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8343 Steering bellcranks/ hardware
- 8342 Toe links, steel (34mm) (2)

Suspension Linkage

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 9374R Tires and wheels, assembled, glued (multi-spoke black chrome wheels, 2.0" slick tires with Traxxas® logo, foam inserts) (front) (2) (VXL rated)
- 9375R Tires and wheels, assembled, glued (multi-spoke black chrome wheels, 2.0" slick tires with Traxxas® logo, foam inserts) (rear) (2) (VXL rated)
- 9374 Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" slick tires, foam inserts) (front) (2)
- 9375 Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" slick tires, foam inserts) (rear) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8342 Toe links, steel (34mm) (2)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM