

RACE	Basic Set-Up for Pivot Ball		
TRACK			
NAME		DATE	
TEMPERATURE AIR		TEMPERATURE TRACK	
LAPS	FINAL POSITION	BEST LAP TIME	RACE LENGTH
		/sec	/min
TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL			
CASE MATERIAL	FRONT	CENTER	REAR
	Std.	Std.	Std.
OIL	7K	7K	3K
CROWN GEAR	46		46

GEARING			
MOTOR PINION	/T	46	SPUR GEAR

FRONT	SHOCKS	REAR
Kit	TYPE	Kit
4 Dots	SPRINGS	3 Dots
Cell	MEMBRANE	Cell
550 /cSt	OIL	600 /cSt
<input type="checkbox"/> 6 HOLES	PISTONS	<input type="checkbox"/> 6 HOLES
<input checked="" type="checkbox"/> 8 HOLES	1.1 mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	1.2 mm	<input checked="" type="checkbox"/> 8 HOLES
	1.3 mm	<input type="checkbox"/> 10 HOLES
	1.4 mm	
	OTHER	
VALVE PISTONS		
5+2 HOLES	1.5 mm	5+2 HOLES
6+2 HOLES	1.3 mm	6+2 HOLES
8+2 HOLES	1.4 mm	8+2 HOLES
	1.2 mm	8+2 HOLES
	1.3 mm	

FRONT	ANTI-ROLL BAR	REAR
2.2 /mm	THICKNESS	2.4 /mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS		
MOTOR		
SPEEDO		
BATTERY TYPE		
<input checked="" type="checkbox"/> SADDLE PACK	<input type="checkbox"/> BRICK PLATE	
<input checked="" type="checkbox"/> STANDARD BATT.	BATT	ESC
FR	RR	RR
<input type="checkbox"/> SHORT BATT.	ESC	BATT
	SHORT	STANDARD

BODY	OTHER	TOTAL WEIGHT
<input checked="" type="checkbox"/> EAZY	<input type="checkbox"/> EAZY LIGHT	
	EAZY	/g

